

NEW

January 2022

# CONSTRUCTION

Products

Tips for Longer,  
Safer Power  
Tool Battery Life

**Quad Tracks Now Available for  
JLG® 600S and 660SJ Boom Lifts**

PROUDLY  
MADE IN THE USA

WISHING  
*you & yours a*  
HAPPY &  
HEALTHY  
*holiday season!*



FROM ALL OF US AT

**JEFFREY  
MACHINE INC**  
DRIVEN BY PRECISION

Birmingham, AL | 205.841.8600

Eules, TX | 817.545.8677

**JeffreyMachine.com** f @ in v

**BETEK**  
Teeth 

# ROME

Available in 10, 12, 14, and 16 foot widths



Manufacturing Heavy Duty Construction and Agricultural Equipment Since 1932

Available in 16, 18, 20, 24, and 30 foot widths



Available with 36 or 42" blades, and up to 20' wide



Available in 18 and 22 yard versions

ROME Plow has been the premier name in heavy duty disc plows for over 87 years.

ROME has been manufacturing pivot dump and ejector scrapers for over 45 years for the construction and agricultural industries.

ROME also manufactures a full line of leveling scrapers (with and without gates) and haul road maintenance tools (with and without rollers)

For more information on our products or for the closest authorized ROME dealer please contact us.

Available in 24, 28, 31, 34 and 37 Yards



Steel Tracks available to fit any articulating tractor.


## NCP Contents • January 2022

PG 4	Meet STEP Snowmelt™: The Future of Nature & Engineering
PG 8	Quad Tracks Now Available for JLG® 600S and 660SJ Boom Lifts
PG 12	Tips for Longer, Safer Power Tool Battery Life
PG 18	Princeton Tec Introduces the Alloy-X for Industrial Task Lighting
PG 22	Durex Products to Feature Full Aggregate Product Lineup at AGG1
PG 26	Monthly Buyer's Guide
PG 28	Ad Index



Pg 18


# Get Cool!



**Extend transformer life!**

**Increase transformer capacity up to 166%!**

- expert technical assistance
- large inventory
- low sound levels
- one-piece cast aluminum blades
- energy-efficient motors
- galvanized or stainless steel guards



**quality engineered, performance tested**

p.o. box 187 germantown, wisconsin 53022    262.255.2318    [www.krenzvent.com](http://www.krenzvent.com)

Vol. 22 Issue 1

## PRESIDENT

Glen Hobson  
205-441-5591  
glen@handfmedia.net

## DIRECTOR OF ADVERTISING

Brian Lockheart  
205-624-2182  
lockbrian692@gmail.com

## DIRECTOR OF BUSINESS

Butch Cole  
205-624-2180  
butch@handfmedia.net

## ADMINISTRATIVE DIRECTOR

Steven Hobson  
steven@handfmedia.net

## EDITOR

Brandon Greenhill  
brandon@handfmedia.net

## CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill  
jacklyn@handfmedia.net

P.O. Box 1568 • Pelham, AL 35124  
Phone: 205-441-5591 • Fax: 205-624-2181  
[www.newconstructionproducts.com](http://www.newconstructionproducts.com)  
[info@newconstructionproducts.com](mailto:info@newconstructionproducts.com)



*New Construction Products™* is published twelve times a year on a monthly basis by H & F Media, Inc. *New Construction Products™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

*New Construction Products™* is distributed to qualified owners and managers in the construction industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to  
H & F Media, Inc. P.O. Box 1568  
Pelham, AL 35124  
PRINTED IN THE USA

# Construction Barricades

We Rent Nationwide.



## TRAFFIC CONTROL & CONSTRUCTION SOLUTIONS

Trinity Highway Rentals is the #1 manufacturer of water-filled barricades with the largest inventory in stock and ready to ship. We offer Construction Site, Airport, Work Zone, and Traffic Control solutions that are less susceptible to movement than chain-link fences, drums, and cones. Our water-filled barricades are made in the USA and can be assembled to meet various construction site needs, including perimeter fencing and pedestrian walkways. Flexible rental options are available to accommodate multi-phase projects.



**TRINITY**  
**HIGHWAY**  
RENTALS

TrinityHighwayRentals.com

**888.496.3625**



Scan for More Info



## Meet STEP Snowmelt™ : The Future of Nature & Engineering

*STEP Snowmelt is the radiant heating solution for a safe and easy winter, clearing driveways, walkways, patios, and roofs of snow and ice with low energy cost.*

Those expecting heavy snowfall can cross shoveling snow off of their to-do list this winter with STEP Snowmelt. As the premier radiant heating solution for driveways, patios, roofs, and gutters, STEP® Snowmelt features the same innovative self-regulating heating elements that put STEP HEAT on the map.

STEP Snowmelt is designed to keep residential and commercial driveways, sidewalks, walkways, ramps, patios, and more, free from snow and ice. STEP Snowmelt operates on 24 to 48 volts and is often connected to a power supply, but can also be operated by solar or wind power. This patented, low-volt-

# FEEL THE FUTURE OF NATURE + ENGINEERING



age radiant heating mat (available in 9 or 12" wide sizes) is made from durable, thin (3/64") elements comprised of semi-conductive, self-regulating polymer. This self-regulating technology (PTC nanotechnology) allows the heating elements to heat with maximum power in cold environments and use less electricity as they warm up. This minimizes power consumption and reduces snow melt costs by 30 to 60% compared to conventional cable systems. STEP HEAT engineers customize the ideal snowmelt system based on their customer's unique project needs. STEP Snowmelt elements are installed under the pavement of walkways, driveways, and patios.

STEP Roof Deicing is designed to solve problems with snow buildup and ice damming on roofs, valleys, eaves and gutters for commercial and residential buildings. The patented low voltage heating element STEP Roof Deicing is a durable, yet thin (3/64") element. This 3", 9", 12" wide element is made of a ho-

mogeneous, semi-conductive polymer, which by nature is self-regulating. The heating mat is designed to be installed underneath roof shingles. The lightweight heating element is delivered in a roll and can be cut to size and field wired on the job site for easy installation.

STEP Snowmelt systems can be customized according to regional temperatures and how much snow-fall they receive. STEP Snowmelt installations can be designed with different "snow-free ratios." Snow-free ratio 0 melts snow after it has already fallen, snow-free ratio 0.5 melts half of the snow as it falls, and snow-free ratio 1 melts all snow while it is falling. STEP HEAT works with customers to determine which system best meets their needs. The elements come enclosed in vinyl and should be installed under pavement or concrete, placed on top of gravel and compacted sand, and secured so that they do not move around when pavement or concrete is poured on top of them.

"With STEP Snowmelt, homeowners don't have to worry about clearing snow and ice from their driveway and can be assured our self-regulating technology will do the job while lowering energy costs," said STEP HEAT President, Monica Irgens. "We are proud to offer the future of nature and engineering with innovative heating solutions for a safer, more comfortable winter season."

For more information about STEP® Snowmelt and other radiant heating solutions by STEP HEAT™, visit <https://stepheat.com/snowmelt/>.



***OIL ALERT***<sup>®</sup>  
**LIQUID LEAK DETECTOR**

***DETECT OIL LEAKS AND SPILLS...FAST!***

- ***AVOID OPERATIONS SHUT-DOWN***
- ***REDUCE ENVIRONMENTAL RISKS***
- ***MINIMIZE COSTLY CLEAN-UP***
- ***MONITOR OFF-SITE EQUIPMENT***

A small amount of oil (1/32 inch) seeping under Oil Alert activates it's loud "on/off" alarm and/or relay contact output. The low profile dome shaped unit guards against undetected leakage in areas of oil lubricated / hydraulic equipment, stand-by generators, pressurized piping and fuel oil storage locations...

**5 year Limited Warranty**

**DORLEN Products Inc.**  
6615 W. Layton Ave. Milwaukee, WI. 53220

**Go to [WWW.OIL-ALERT.COM](http://WWW.OIL-ALERT.COM)**  
**OR CALL: 1-800-533-6392**  
**FOR MORE INFO!!**



**MADE IN THE USA**

About STEP HEAT

STEP HEAT is transforming the way we heat our homes, delivering healthy warmth for a consistently comfortable environment. Its radiant heating systems warm up a room by first heating cold objects within it. This avoids spreading allergens, which can happen with forced air systems that provide warmth by blowing heated air into rooms. Because STEP HEAT's floor-installed heating elements are self-regulating, they decrease electrical power usage as ambient temperature increases, making them energy-efficient, without risk of overheating. STEP HEAT radiant heating systems are manufactured in Maryland Heights, Missouri, and the company is owned by Stephan and Monica Irgens. The Self-regulating Technology of Electro Plastics from which the company derives its name was first developed in 1981 as a method of heating automobile seats, but has since been adapted for application from heating homes and recreational vehicles to deicing roofs and ships. In 1994, Stephan and Monica introduced the United States to their radiant heating system through Electro Plastics, Inc. To date millions of square feet have been installed for various applications throughout the world.

[www.stepheat.com/snowmelt](http://www.stepheat.com/snowmelt) •



## Hydraulic Detachable Gooseneck

For more than two decades, our Hydraulic Detachable Gooseneck Trailer has been North America's bestselling detachable lowboy for construction professionals—and for good reason. It's engineered to make unhooking, loading and unloading, and hooking up again a simple one-person operation.



[trailking.com](http://trailking.com)

Serving our customers since 1974.

[in](#) [@](#) [t](#) [f](#) [v](#) [@trailkingind](#)



## Quad Tracks Now Available for JLG® 600S and 660SJ Boom Lifts

*Convert a normal, wheeled model into a highly capable, comfortable tracked machine*

JLG Industries, Inc., an Oshkosh Corporation company [NYSE:OSK] and a leading global manufacturer of mobile elevating work platforms and telehandlers, now offers Quad Tracks for JLG® 600S and 660SJ boom lifts. Quad Tracks from JLG are made up of four triangular rubber-track systems, each measuring 34-in high by 54-in long by 18-in wide. They bolt directly to the boom lift's standard wheel hubs, offering increased machine utilization and flexibility for working on a range of surfaces, including sand, mud, gravel, grass, paved streets with curbs, potholes and sharp transitions.

The Quad Track's design is low-profile and developed to minimize impact on ride height, track width and maximum drive speed. These features provide the machine operator with the benefit of excellent floatation,

# CLEANFIX.ORG

Reversible Fans For Radiator Cleaning



## CLEAN RADIATORS

- = Increases Power 
- = Increases Operator Comfort 
- = Reduces Downtime 
- = Saves Fuel 

*More than you think!*



web [cleanfix.org](http://cleanfix.org)

youtube



cleanfixgf

facebook



CleanfixReversibleFans

# WE HAVE THE ROPE TO GET THE JOB DONE.



**BUCCANEER**  
rope company  
*Providing strength & stability, with a twist.*

minimal rutting at job sites, improved traction, greater comfort over obstacles and no “break over” effect. And when the work is done, the Quad Tracks can be swapped out for regular tires or for use on other applicable models. An added bonus, the Quad Tracks do not require additional wide load transport accommodations for machine shipping when properly loaded and tied down for transport.

“There are many considerations when selecting a boom lift for the work at hand. This can sometimes make it challenging to choose between tires or tracks,” says Randi McClure, Marketing Manager for JLG Boom Lifts. “When this happens, Quad Tracks offer an alternative solution: The ability to convert a normal, wheeled JLG boom lift into a highly capable, tracked machine. This allows operators to cover a wide range of applications on multiple job sites with one machine — and offers fleet managers the ability to switch between continuous tracks and traditional wheels as needed.”

The new Quad Tracks from JLG are currently available with new 600S and 660SJ machine orders, as well as through aftermarket on select, 2-wheel steer models. Compatibility with additional models will be available in the near future. For more information, visit <https://www.jlg.com/en/equipment/options/boom-lift-options/quad-tracks>.

For more information on JLG products and services, please visit [www.JLG.com](http://www.JLG.com) •



# Your Trusted Partner.

Partnering with Ring Power gives you access to a vast range of jobsite-tough products to round out your fleet. Ring Power carries machines from dozens of manufacturers to ensure you always have access to the right tools for your job.

Short-term, long-term or rental-purchase options available.



1-844-766-RENT • [Utility.RingPower.com](http://Utility.RingPower.com)




## Tips for Longer, Safer Power Tool Battery Life

*Power Tool Institute identifies easily employed best practices*

Power tools and their batteries are rugged instruments designed to perform tough jobs, but they still require care to maintain safe, optimum performance. There are steps users can take to extend tool and battery life, and help keep power tools operating at peak performance for a longer life cycle.

# WE KEEP AMERICA ON TRACK



**MOROOKA**

UTILITY CARRIERS

Call: 800-365-7260

OR

Visit: [morookacarriers.com](http://morookacarriers.com)

The Power Tool Institute has compiled a list of best practices for safer use of batteries and power tools.

### *Safe handling*

Start by reading the manufacturer's instruction manual – and only use original manufacturer's system components of tool, battery and charger. Do not impact or damage a battery (for example, do not use it as a hammer), use it solely for the defined purpose as specified by the manufacturer. If a battery has received a sharp blow, been dropped, or is damaged, discontinue use.

Regularly inspect batteries for signs of damage, such as crushing, cuts, or punctures. Be mindful of abnormal battery behavior, such as failure to fully charge or hold a charge, longer-than-usual charging times, noticeable drop in performance, liquid leakage from the battery, or melted plastic anywhere on the pack. These are indications of an internal problem.

Never modify, disassemble, or tamper with the battery because the performance can become unpredictable and dangerous. As a general practice, it is best to unplug battery chargers and remove battery packs from them when not in use.

### *Safe storage*

Do not store batteries on their chargers. Always use and store the battery within the temperature limits stated by the manufacturer. Do not store in a closed location where sunlight may cause elevated temperatures, such as near a window or inside a vehicle. Do not store or transport the battery in a container with loose metal objects, such as coins, keys or nails, which may contact the terminals.

### *Safe response to overheating*

Though batteries and chargers are safe to use when operated properly, in rare instances a battery may overheat. If the battery is exhibiting signs of overheating (flames, smoke, smoldering, or melting), immediate action is required. If connected to a charger when exhibiting signs of overheating, always unplug the charger first. After unplugging the battery charger, then pour copious amounts of water on the battery and then submerge the battery (including any attached tool or charger – do not directly touch/disconnect the battery) in a sturdy container filled with water. When transferring the battery, avoid direct contact with the battery (use a long-handled shovel) and use appropriate personal protective equipment to protect face, hands and body, since there is a risk that overheated batteries may vent, explode, or emit flame.


If the battery is exhibiting flames, continue using copious amounts of water until the flame is extinguished, then submerge the battery (including any attached tool or charger) in a sturdy container filled with water. If water is not available, dirt, sand or a conventional ABC extinguisher may be used in an attempt to smother and cool the battery until water is available.

Keep the battery submerged, in a well-ventilated location, for at least 24 hours and at least 15 feet away from any combustible items. Contact the manufacturer for guidance on proper disposal.

For more information about extending the life of power tools and their batteries, visit <https://www.powertoolinstitute.com/>.

# THE FUTURE IS BRIGHT.

WITH A NEW MANUFACTURING FACILITY, ADDITIONAL  
SERVICE CENTERS AND EXPANDED SERVICE AND PARTS TEAM



**We're more prepared than ever to deliver.**

For more than 75 years, Terex Utilities has been a pioneer of insulated and digging equipment for the electric utility industry. Along the way, we've established a pattern of innovation and continuous improvement in order to deliver solutions so linemen can be productive and keep the lights on for their customers. This is an exciting time in Terex Utilities' history – with strategic investments being made in our manufacturing capabilities, our service footprint, new products, team members and overall customer experience. The future is looking bright, and we're excited to continue delivering equipment and service solutions to the electric utility industry – now better than ever.

**Give us a call at 844-TEREX-4U for your equipment, service and parts needs.**

[www.terex.com/utilities](http://www.terex.com/utilities)



**WORKS FOR YOU.™**



## Atlantic Screen & Mfg., Inc.

- Well Rehab. Products
- Manholes
- Bentonite
- Filter Sock
- Inline Chemical Mixers
- Sampling Ballers
- Clear PVC Pipe
- Locking Caps

Manufacturers of Slotted & Perforated Pipe ranging from 1/2" to 24" in diameter


# 302-684-3197

FAX 302-684-0643

142 Broadkill Rd. • Milton, DE 19968


[www.atlantic-screen.com](http://www.atlantic-screen.com)

email: [atlantic@ce.net](mailto:atlantic@ce.net)



### About PTI

With the vision to unify and educate others about power tools, since its founding in 1968, the Power Tool Institute (PTI) has established itself as the leading organization for building global understanding of power tools and for maintaining high standards of safety in the industry. Its members, a list of whom can be found here, represent market-leading brands in the areas of portable and stationary power tools. PTI's members are committed to improving the industry and to being the premier resource for power tool education. For more information, contact PTI 216-241-7333 or [pti@powertoolinstitute.com](mailto:pti@powertoolinstitute.com). On the Web: [www.PowerToolInstitute.com](http://www.PowerToolInstitute.com) and [www.TakeChargeOfYourBattery.com](http://www.TakeChargeOfYourBattery.com) •



#### ■ LADDERPORT LADDER RECEIVER (PATENT PENDING)

Permanent building mounted extension ladder receiver, less expensive & safer than vertical ladders.

Hooks secure ladder, side plates prevent sideways movement.


Meets OSHA Regulation 1926.1053(b)(1)

#### ■ CRANKY PORTABLE WINCH SYSTEM

Cranky winch safely hauls items weighing up to 300 lbs.

One person can move items from vehicle to roof without the expense of a crane or second person.

Sales- (800) 770-8851 | Email: [sales@ladderport.com](mailto:sales@ladderport.com) | Web: [www.ladderport.com](http://www.ladderport.com)



## Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex™. Made with a core of Honeywell Spectra®, it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit [www.yalecordage.com](http://www.yalecordage.com)

**YALE CORDAGE**  
Performance. Passion. Possibilities.

77 Industrial Park Road | Saco, Maine 04072 | p (207) 282-3396, f (207) 282-4620




## Princeton Tec Introduces the Alloy-X for Industrial Task Lighting

*Dual Fuel, Compact Penlight; Delivers 400 Lumens*

Princeton Tec, a family-owned personal lighting manufacturer, has introduced an all new dual-fuel penlight, the Alloy-X. The light features a stunning 400 lumens and a 28-hour runtime all in one sleek, compact design. “The Alloy-X dual-fuel penlight is the perfect pocket carry light that is slim and packs a 400 lumen punch, allowing industrial workers and contractors quick and easy task illumination,” says Princeton Tec Director of Industrial Sales, John Luchka.

Alloy-X’s innovative dual-fuel technology allows the light to be powered via the included rechargeable lithium-ion battery, and to also function with two AAA alkaline batteries, so a low charge never stands between the user and getting the job done. Luchka says, “Since Alloy-X offers the convenience of both USB



# **IN NEED OF REPLACEMENT RUBBER TRACKS?**

We're proud that  
Dominion Rubber Tracks are the

**#1 SELLING  
RUBBER TRACK**

brand in America.

CALL US TODAY  
TO GET THE BEST  
PRICE ON  
RUBBER TRACKS,  
YANMAR PARTS,  
AND  
UNDERCARRIAGE PARTS

Ashland, VA >> Jacksonville, FL >>  
Cincinnati, OH >> Portland, OR >>  
Schenectady, NY >> Dallas, TX

**DOMINION**  
**Equipment Parts**

800-365-7260  
[www.depparts.com](http://www.depparts.com)

recharge-ability, and accepts two AAA batteries, this is the ideal work light for DIY or professional use.”

Alloy-X is intuitively operated via a one-touch tail switch; a quick and simple click activates the light, as well cycles through high, medium, and low spot modes, allowing an effortless adaptation to the amount of light needed to complete the task at hand. The aluminum body of Alloy-X features textured knurling to ensure a firm and secure grip on the pen light, even while wearing gloves. The light is also rated IPX7, withstanding water submersion up to one meter. Lastly, its detachable clip enables Alloy-X to be reliably fastened to your pocket or belt for quick and easy access to light with a moment’s notice.

With an MSRP of \$59.99, Princeton Tec’s all new Alloy-X is the perfect addition to any industrial worker’s kit with its innovative dual-fuel technology, compact design, and convenient and intuitive operation features.

For more information on Princeton Tec and their products, call 1-800-257-9080 or visit [www.princetontec.com](http://www.princetontec.com) •



**CROSS COUNTRY**  
INFRASTRUCTURE SERVICES INC.

**Your Source for Construction Equipment Rentals and Supplies**

*SUPPLIES INCLUDE:* Abrasive & Cutting Tools > Environmental > Safety Products > Valves, Fasteners & Fittings > Lifting & Rigging > Pigging Products > Pipe Testing Equipment > and Much More

**EQUIPMENT RENTALS INCLUDE:**



Pumps



Padding Machines



Pipelayers



Flat Bed Tractors



Excavators



Trenchers



Dozers

For Rentals And Supplies Visit [CrossCountryIS.com](http://CrossCountryIS.com) Or Call **1-855-955-CCIS (2247)**



**Stryker ST Series**  
*Remote Control Spotlight*



**Hardwire Control Option**  
*Wired Dash Mount*




**Wireless Remote Option**  
*Operates up to 80' from light*



## ST SERIES BY GOLIGHT

- Multiple Unit Selector Function  
-2 units with 1 remote
- Home Position Function
- Fluorescent Remote Buttons
- New Wireless Technology Benefits  
- Simultaneous Pan + Tilt  
- Multiple users can operate lights in close proximity without interference
- Stainless Steel Mounting Brackets
- Smart Programming Logic  
- Quick and simple pairing
- UV and Saltwater Resistant
- 5 Year Limited Warranty



## **Durex Products to Feature Full Aggregate Product Lineup at AGG1**

*Learn About the Company's Screen Media, Liners, Wear Parts, and Screen Accessories*

Durex Products, Inc., based in Luck, Wisconsin, will display its screen media, liners, wear parts, and screen accessories in booth 1147 at Nashville Music City Center, March 29–31, in Nashville, Tennessee. The company offers numerous innovative urethane, rubber, and specialty wire screen media options, which allow customers to fine-tune production and increase tons per hour, while keeping products in spec and lowering operating costs. Durex has offered premium screen media technologies since 1965, including its well-known Livewire®, Armor®, Accuslot®, and Vibraspan® products. Wear liners and parts for aggregate equipment and screen accessories round out the company's offerings.

*Modular Urethane and Rubber Screen Panels* — Available in modular snap-in, pin-style, knock-in, and bolt-in systems. These panels feature tapered openings that are wider at the bottom, which reduces plugging and increases throughput.

*Woven and Slotted Wire Screens* — Made of high-quality oil-tempered, stainless, or high-carbon steel. Woven-wire screen allows the use of lighter-gauge wire, while still providing excellent wear life. Long-slot triple-shoot screens are crimped to provide better screening accuracy and eliminate blinding and plugging.

*Livewire® Screens* — A self-cleaning-type screen, featuring molded rubber strips that hold its high-strength wires in place, providing better screening action and greater open area.

# Making perfect connections has never been simpler. In fact, now it's a **SNAP!**

**NEW** *SNAP* Connectors from Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!

- ▶ Time-saving, easy installation
- ▶ Superior pull-out strength and conductivity
- ▶ No bulky and costly tools and dies



## GREAVES

**Accuslot® Screens** — A self-cleaning-type screen that helps eliminate plugging and/or blinding, while minimizing the passing of slivers and chips.

**Vibraspan® Screens** — A self-cleaning-type screen featuring longitudinal slots for more open area, without sacrificing product size control.

**Armor® Screens** — A combination of high-grade woven-wire cloth with molded polyurethane coating, designed to increase throughput, as it reduces plugging and noise.

**Wear Liners** — Including magnetic, plug-weldable, and bolt-on liners for screen boxes, crusher mainframes, feed boxes, chutes, flumes, and discharge openings.

**Wear Parts** — Including urethane and rubber, used in sizing and separating on screens, classifiers, dewatering screws, and various chutes and transfer areas.

**Screen Accessories** — Including, but not limited to, side-tension rails, J-bolts, U-bolts, donuts, stringers, and ferrules.

To contact Durex Products, call 715.472.2111 or email [customerservice@durexproducts.com](mailto:customerservice@durexproducts.com).

With more than 55 years in business, Durex Products, Inc., designs, manufactures, and markets screen media, including wire and polymer media in tensioned and modular versions and stainless-steel woven-wire cloth, as well as wear liners and screen accessories, for the aggregates, mining, recycling, and industrial industries. For more information, contact Durex Products Inc., 112 West First Avenue., Luck, Wisconsin, USA 54853; telephone: 715.472.2111; fax: 715.472.2431; email: [customerservice@durexproducts.com](mailto:customerservice@durexproducts.com), or visit its website at [www.durexproducts.com](http://www.durexproducts.com) •

# DIAGNOSE YOUR OWN EQUIPMENT.

Big updates on  
CASE, New Holland, JCB  
& John Deere

The **OHV Pro** is our answer to folks needing a stand alone, full featured scan tool for working on Agricultural, Construction, Mining and other Off-highway applications. Brands such as John Deere, Volvo, Caterpillar and CASE are covered. Perform bi-directional controls on hydraulics and special functions, such as injector coding, DPF regens and VGT calibrations.

8" Android Tablet | IP65 Rated | Bluetooth® Wireless | Easy Updates | Remote Technician

WWW.CANDOINTL.COM **CanDo** INTERNATIONAL, INC. 909/CANDO-11(226-3611)

# REPAIR CONDUIT IN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

## NO KIDDING!

Designed especially for  
power, communications,  
and fiber optics



“The World Leader In Split Conduit Products”




**Conduit Repair Systems, Inc.**

The World Leader In Split Conduit Products

800-670-1804

fax: 435-673-8724

email: [crs@conduitrepair.com](mailto:crs@conduitrepair.com)




Step 1: Remove  
Damaged Conduit




Step 2: Cut Split  
Duct Conduit to Fit



Step 3: Snap in  
Place



Step 4: Attach  
Adapters



Step 5: Finish Job  
in Record Time

Please Visit Our Website at [WWW.CONDUITREPAIR.COM](http://WWW.CONDUITREPAIR.COM)

# Monthly Buyer's Guide

---

- **Buccaneer Rope**  
22319 Alabama Hwy.79  
Scottsboro, AL 35768  
800-358-7673  
[www.bucrope.com](http://www.bucrope.com)
- **Cleanfix Reversible Fans**  
250 Wright Blvd.  
Stratford, ON, CN N4Z1H3  
866-489-3267  
[www.cleanfix.org](http://www.cleanfix.org)
- **Conduit Repair**  
761 Enterprise Dr. # 1  
St. George, UT 84790  
800-670-1804  
[www.conduitrepair.com](http://www.conduitrepair.com)
- **Greaves USA**  
30 Industrial PK.  
Centerbrook, CT. 06409  
800-243-1130  
[www.greaves-usa.com](http://www.greaves-usa.com)
- **Hogg Davis**  
3800 Eagle Loop  
Odell, OR. 97031  
855-883-4909  
[www.hoggdavis.com](http://www.hoggdavis.com)
- **Jeffrey Machine, Inc.**  
3841 Industrial Dr  
Birmingham, AL 35217  
205-841-8600  
[www.jeffreymachine.com](http://www.jeffreymachine.com)
- **Manitex USA**  
3000 S. Austin Av.  
Georgetown, TX. 78626  
877-314-3390  
[www.manitex.com](http://www.manitex.com)
- **M.B. Crushers**  
8730 Technology Way  
Reno, NV. 89521  
855-MBCRUSH  
[www.mbcrusher.com](http://www.mbcrusher.com)
- **Morooka USA**  
11191 Air Park Rd.  
Ashland, VA. 23005  
[www.morooka.com](http://www.morooka.com)
- **Morbark**  
8507 S. Winn RD.  
Winn, MI. 48896  
800-831-0042  
[www.morbark.com](http://www.morbark.com)
- **Ring Power**  
9901 Ringhaven DR.  
Orlando, FL. 32824  
407-855-6195  
[www.ringpower.com](http://www.ringpower.com)
- **Rome Plows**  
475 N.6th. St.  
Cedartown, GA. 30125  
770-748-4450  
[www.romeplow.com](http://www.romeplow.com)
- **Terex Utilities**  
1901 -14th AV. N.W.  
Watertown, SD. 57201  
800-233-2972  
[www.terex.com](http://www.terex.com)
- **U.T.V. INTERNATIONAL**  
8850 Danley Rd.  
Quebec, CN. H4T1M4  
514-345-0990  
[www.utvint.com](http://www.utvint.com)
- **Yale Cordage**  
77 Industrial Park Rd.  
Saco, ME. 04072  
207-282-3396  
[www.yalecordage.com](http://www.yalecordage.com)

**SCHWEISS**

# DOORS

**HYDRAULIC — OR — BIFOLD**

**ONE-PIECE DOORS**

**STRAP LIFT DOORS**

**507-426-8273**



● **AVIATION**

● **SHOP DOORS**

209

**SCHWEISSDOORS.COM**

## Ad Index

Company	Pg.	Website
Atlantic Screen & Mfg., Inc.	16	<a href="http://www.atlantic-screen.com">www.atlantic-screen.com</a>
Buccaneer Rope	10	<a href="http://www.bucrope.com">www.bucrope.com</a>
Can Do Intl	24	<a href="http://www.candointl.com">www.candointl.com</a>
Clean Fix	9	<a href="http://www.cleanfix.org">www.cleanfix.org</a>
Conduit Repair	25	<a href="http://www.conduitrepair.com">www.conduitrepair.com</a>
Cross Country	20	<a href="http://www.crosscountryis.com">www.crosscountryis.com</a>
Dominion	19	<a href="http://www.depparts.com">www.depparts.com</a>
Dorlen	6	<a href="http://www.oil-alert.com">www.oil-alert.com</a>
eMars Inc	28	<a href="http://www.emarsinc.com">www.emarsinc.com</a>
Go Light	21	<a href="http://www.golight.com">www.golight.com</a>
Greaves	23	<a href="http://www.greaves-usa.com">www.greaves-usa.com</a>
Jeffrey Machine, Inc.	IFC, IBC	<a href="http://www.jeffreymachine.com">www.jeffreymachine.com</a>
Krenz Vent	2	<a href="http://www.krenzvent.com">www.krenzvent.com</a>
Ladder Port	16	<a href="http://www.ladderport.com">www.ladderport.com</a>
Morooka	13	<a href="http://www.morooka.com">www.morooka.com</a>
Ring Power	11	<a href="http://www.ringpower.com">www.ringpower.com</a>
Rome Plow	1	<a href="http://www.romeplow.com">www.romeplow.com</a>
Schweiss	27	<a href="http://www.schweissdoors.com">www.schweissdoors.com</a>
Tallman	BC	<a href="http://www.tallmanequipment.com">www.tallmanequipment.com</a>
Terex	15	<a href="http://www.terex.com">www.terex.com</a>
Trail King	7	<a href="http://www.trailking.com">www.trailking.com</a>
Trinity	3	<a href="http://www.trinityhighwayrentals.com">www.trinityhighwayrentals.com</a>
Yale Cordage	17	<a href="http://www.yalecordage.com">www.yalecordage.com</a>

## TAKING CHANCES WITH DAVIS - BACON MANUAL PAYROLL COMPLIANCE?

EACH WEEK, EVERY CHECK HAS 30+ WAYS TO BE A LOSING PROPOSITION.



NONE OF OUR 15,000+ CLIENTS HAS EVER HAD A LEGAL COMPLIANCE ISSUE... NOT ONE.

480-595-0466



[emarsinc.com](http://emarsinc.com)

**Be Davis-Bacon Compliant In Minutes**

PROUDLY  
MADE IN THE USA

WISHING  
*you & yours a*  
HAPPY &  
HEALTHY  
*holiday season!*



FROM ALL OF US AT

**JEFFREY  
MACHINE INC**  
DRIVEN BY PRECISION

Birmingham, AL | 205.841.8600  
Euless, TX | 817.545.8677  
**JeffreyMachine.com** f @ in v

**BETEK**  
Teeth





# *The New Standard for Linemen*

At Tallman Equipment, our priority is to set the standard in the electric transmission and distribution industry with an all-inclusive approach to serving our customers. Our vision to deliver a trio of quality, convenience, and reliability is driven by listening and adapting to the needs of our customers. As the industry changes, so does Tallman. As a result, Tallman Equipment has become a unique company within our industry offering a full range of professional services including tool sales, product distribution, rentals, and repair. Tallman is already a trusted name in stringing blocks, cable assemblies, fiberglass, and rope products – and we are excited to announce the addition of our new Rubber Goods Testing Lab.

## *Our Services Include:*

**Groundset & Jumperset Manufacturing, Repair & Refurbishing**

**Transformer Sling Manufacturing & Rope Repair**

**Battery Power Tool & Equipment Repair**

**Fiberglass Tool Testing, Repair & Refinishing**

**Tool & Equipment Rental**

**Rubber Goods Testing & Refurbishment**



**Trust TALLMAN**

[www.tallmanequipment.com](http://www.tallmanequipment.com)

Call Toll Free: 877-860-5666

International: 630-860-5666